



# SPEEDTECH LIGHTS®

LIGHTING THE WAY®



[www.SPEEDTECHLIGHTS.com](http://www.SPEEDTECHLIGHTS.com)


**STL Z-3 TIR**

SKU G-TZT3

DIMENSIONS 3.7" L x 1.6" H x .6" D

AVAILABLE COLORS **FEATURES**

- Eclipse TIR optics
- 3 3-Watt LEDs
- 22 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing


**STL Z-4 TIR**

SKU G-TZT4

DIMENSIONS 4.4" L x 1.6" H x .6" D

AVAILABLE COLORS **FEATURES**

- Eclipse TIR optics
- 4 3-Watt LEDs
- 24 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing


**STL Z-6 TIR**

SKU G-TZT6 / G-TZTSTD6

DIMENSIONS 5.7" L x 1.6" H x .6" D

AVAILABLE COLORS **FEATURES**

- Eclipse TIR optics
- 6 3-Watt LEDs
- 24 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing



OPTIONAL UPGRADE

**STL ZX-180 TIR**

SKU G-ZXT180

DIMENSIONS 4.6" L x 1.45" H x 1.5" D

AVAILABLE COLORS **FEATURES**

- Eclipse TIR optics
- 6 3-Watt LEDs
- 24 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing


**STL MULTICOLOR Z-6 LINEAR**

SKU G-LZMC6

DIMENSIONS 3.7" L x 1.6" H x .6" D

AVAILABLE COLORS **FEATURES**

- Eclipse Linear optics
- 6 3-Watt LEDs
- 24 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing


**STL MULTICOLOR Z-8 LINEAR**

SKU G-LZMC8

DIMENSIONS 4.4" L x 1.6" H x .6" D

AVAILABLE COLORS **FEATURES**

- Eclipse Linear optics
- 8 3-Watt LEDs
- 34 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing


**STL MULTICOLOR Z-12 LINEAR**

SKU G-LZMC12

DIMENSIONS 5.7" L x 1.6" H x .6" D

AVAILABLE COLORS **FEATURES**

- Eclipse Linear optics
- 12 3-Watt LEDs
- 34 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing

**STL MULTICOLOR ZX-180 LINEAR**

SKU G-ZXLMC180

DIMENSIONS 4.6" L x 1.45" H x 1.5" D

AVAILABLE COLORS **FEATURES**

- Eclipse Linear optics
- 8 3-Watt LEDs
- 34 warning flash patterns
- Built-in sync capability
- 3 alternate sync pattern speeds
- Weatherproof housing





# STL K-FORCE MICRO 14 TIR

SKU M-TKFM14

DIMENSIONS 13.1" L x 3" H x 6.8" D

AVAILABLE COLORS 

## FEATURES

- Eclipse TIR optics
- 24 3-Watt LEDs
- 30 warning flash patterns
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional Cigarette Plug with Control Switches (p. 39)



# STL MULTICOLOR K-FORCE MICRO 14 LINEAR

SKU M-LKFMMC14

DIMENSIONS 13.1" L x 3" H x 6.8" D

AVAILABLE COLORS 

## FEATURES

- Eclipse Linear optics
- 60 3-Watt LEDs
- 40 warning flash patterns
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional Cigarette Plug with Control Switches (p. 39)



# STL K-FORCE MICRO 21 TIR

SKU M-TKFM21

DIMENSIONS 22.1" L x 3" H x 6.8" D

AVAILABLE COLORS 

## FEATURES

- Eclipse TIR optics
- 40 3-Watt LEDs
- 30 warning flash patterns
- Alley light functionality
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional STL Grand Control Switch Box (p. 38)



# STL MULTICOLOR K-FORCE MICRO 21 LINEAR

SKU M-LKFMMC21

DIMENSIONS 22.1" L x 3" H x 6.8" D

AVAILABLE COLORS 

## FEATURES

- Eclipse Linear optics
- 100 3-Watt LEDs
- 40 warning flash patterns
- Alley light functionality
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional STL Grand Control Switch Box (p. 38)



# STL K-FORCE 18 TIR

SKU M-TKF18

DIMENSIONS 18.1" L x 2.9" H x 11.4" D

AVAILABLE COLORS 

## FEATURES

- Eclipse TIR optics
- 40 3-Watt LEDs
- 30 warning flash patterns
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional Cigarette Plug with Control Switches (p. 39)



# STL MULTICOLOR K-FORCE 18 LINEAR

SKU M-LKFC18

DIMENSIONS 18.1" L x 2.9" H x 11.4" D

AVAILABLE COLORS 

## FEATURES

- Eclipse Linear optics
- 100 3-Watt LEDs
- 40 warning flash patterns
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional Cigarette Plug with Control Switches (p. 39)



# STL K-FORCE 27 TIR

SKU M-TKF27

DIMENSIONS 27.4" L x 2.9" H x 11.4" D

AVAILABLE COLORS 

## FEATURES

- Eclipse TIR optics
- 56 3-Watt LEDs
- 30 warning flash patterns
- Alley light functionality
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional STL Grand Control Switch Box (p. 38)



# STL MULTICOLOR K-FORCE 27 LINEAR

SKU M-LKFC27

DIMENSIONS 27.4" L x 2.9" H x 11.4" D

AVAILABLE COLORS 

## FEATURES

- Eclipse Linear optics
- 140 3-Watt LEDs
- 40 warning flash patterns
- Alley light functionality
- Weatherproof housing
- Includes magnetic feet for mounting
- Optional STL Grand Control Switch Box (p. 38)



# STL K-FORCE Micro 50 TIR

SKU F-TKFM50

DIMENSIONS 49.1" L x 3.6" H x 5.5" D

AVAILABLE COLORS

## FEATURES

- Eclipse TIR optics
- 88 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



# STL MULTICOLOR K-FORCE Micro 50 LINEAR

SKU F-LKFMMC50

DIMENSIONS 49.1" L x 3.6" H x 5.5" D

AVAILABLE COLORS

## FEATURES

- Eclipse Linear optics
- 196 3-Watt LEDs
- 40 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



# STL K-FORCE 36 TIR

SKU F-TKF36

DIMENSIONS 36.6" L x 3.6" H x 11.4" D

AVAILABLE COLORS

## FEATURES

- Eclipse TIR optics
- 72 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



# STL MULTICOLOR K-FORCE 36 LINEAR

SKU F-LKFC36

DIMENSIONS 36.6" L x 3.6" H x 11.4" D

AVAILABLE COLORS

## FEATURES

- Eclipse Linear optics
- 156 3-Watt LEDs
- 40 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



# STL K-FORCE 47 TIR

SKU F-TKF47 / F-TKFSTD47

DIMENSIONS 45.9" L x 3.6" H x 11.4" D

AVAILABLE COLORS

## FEATURES

- Eclipse TIR optics
- 88 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



OPTIONAL UPGRADE

# STL MULTICOLOR K-FORCE 47 LINEAR

SKU F-LKFC47

DIMENSIONS 45.9" L x 3.6" H x 11.4" D

AVAILABLE COLORS

## FEATURES

- Eclipse Linear optics
- 196 3-Watt LEDs
- 40 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



OPTIONAL UPGRADE

# STL K-FORCE 55 TIR

SKU F-TKF55

DIMENSIONS 55.1" L x 3.6" H x 11.4" D

AVAILABLE COLORS

## FEATURES

- Eclipse TIR optics
- 104 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



# STL MULTICOLOR K-FORCE 55 LINEAR

SKU F-LKFC55

DIMENSIONS 55.1" L x 3.6" H x 11.4" D

AVAILABLE COLORS

## FEATURES

- Eclipse Linear optics
- 236 3-Watt LEDs
- 40 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



FULL LIGHT BARS

FULL LIGHT BARS



# STL K-FORCE 65 TIR

SKU F-TKF63

**DIMENSIONS** 64.4" L x 3.6" H x 11.4" D

**AVAILABLE COLORS** 

## FEATURES

- Eclipse TIR optics
- 120 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



# STL K-FORCE 75 TIR

SKU F-TKF71

**DIMENSIONS** 73.6" L x 3.6" H x 11.4" D

**AVAILABLE COLORS** 

## FEATURES

- Eclipse TIR optics
- 136 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/cruise mode functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



# STL K-FORCE MICRO 50 TIR TOW

SKU F-TKFMTO50

**DIMENSIONS** 49.1" L x 3.6" H x 5.5" D

**AVAILABLE COLORS** 

## FEATURES

- Eclipse TIR optics
- 88 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/rear work light/cruise mode functionality
- Stop/Tail/Turn light functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



# STL K-FORCE 55 TIR TOW

SKU F-TKFTOW55

**DIMENSIONS** 55.1" L x 3.6" H x 11.4" D

**AVAILABLE COLORS** 

## FEATURES

- Eclipse TIR optics
- 104 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/rear work light/cruise mode functionality
- Stop/Tail/Turn light functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



# STL K-FORCE 65 TIR TOW

SKU F-TKFTOW63

**DIMENSIONS** 64.4" L x 3.6" H x 11.4" D

**AVAILABLE COLORS** 

## FEATURES

- Eclipse TIR optics
- 120 3-Watt LEDs
- 30 warning flash patterns
- 3 directional flash patterns
- Built-in rear amber traffic advisor
- Take down/alley/rear work light/cruise mode functionality
- Stop/Tail/Turn light functionality
- Weatherproof housing
- Includes support feet & gutter brackets for mounting
- Optional STL Supreme Control Switch Box (p. 38)



# STL FURY

SKU S-FMS30

**DIMENSIONS** 5" L x 5.25" H x 5.5" D

### FEATURES

- 30-Watt amplifier/speaker output
- Combined all-in-one siren & speaker unit
- Clear sound frequency
- Warning tone function
- Tones include:
  - ◊ Siren: Wail, Yelp, Sting, Mech, Tool, Hi-Lo
  - ◊ Horn: High, Low
- Weatherproof housing
- Includes L-bracket for mounting unit
- Optional STL Moto-4 Switch Box (p. 39)



# STL VIREO

SKU S-VR100

**CONTROLLER DIMENSIONS** 2.5" L x 4.9" H x .8" D

**AMPLIFIER DIMENSIONS** 8.5" L x 2.75" H x 5.75" D

### FEATURES

- 100-Watt amplifier output
- PA & warning tone functions
- Tones include:
  - ◊ Siren: Wail, Yelp, Sting, Mech, Tool, Hi-Lo
  - ◊ Horn: High, Low
- Programmable manual mode
- Radio rebroadcast function
- 6 auxiliary switches rated for 10 amps each
- Handheld controller with built in microphone



# STL PA

SKU S-HPA100

**DIMENSIONS** 5.5" L x 1.75" H x 3.25" D

### FEATURES

- 100-Watt amplifier output
- Combined amplifier & controller unit
- PA & horn tone functions
- Horn tones include: High, Low
- Includes microphone



# STL APEX

SKU S-AP100

**CONTROLLER DIMENSIONS** 5.75" L x 3.25" H x 1.4" D

**AMPLIFIER DIMENSIONS** 8.5" L x 2.75" H x 5.75" D

### FEATURES

- 100-Watt amplifier output
- PA & warning tone functions
- Tones include:
  - ◊ Siren: Wail, Yelp, Sting, Mech, Tool, Hi-Lo
  - ◊ Horn: High, Low
- Programmable manual mode
- Radio rebroadcast function
- 6 auxiliary switches rated for 10 amps each
- Includes microphone



# STL MEGA

SKU S-MG100

**DIMENSIONS** 5.5" L x 1.75" H x 3.25" D

### FEATURES

- 100-Watt amplifier output
- Combined amplifier & controller unit
- PA & warning tone functions
- Tones include:
  - ◊ Siren: Wail, Yelp, Sting, Mech, Tool, Hi-Lo
  - ◊ Horn: High, Low
- Includes microphone



# STL BOSS

SKU S-BDT200

**CONTROLLER DIMENSIONS** 5.4" L x 2.5" H x 1.5" D

**AMPLIFIER DIMENSIONS** 8.5" L x 2.75" H x 5.75" D

### FEATURES

- 200-Watt amplifier output (for 2 100-Watt speakers)
- PA & warning tone functions
- Tones include:
  - ◊ Siren: Wail, Yelp, Sting, Mech, Tool, Hi-Lo
  - ◊ Horn: High, Low
- Programmable manual mode
- Radio rebroadcast function
- 6 auxiliary switches rated for 10 amps each
- Functions as 200-Watt 'Dual Tone' siren with 2 speakers (or as 100-Watt single tone siren with 1 speaker)
- 'Dual Tone' function enables independent siren tones to output from each speaker
- Includes microphone





## STL ICON SILVER 100-WATT SPEAKER

SKU A-IS100

**DIMENSIONS** 6.4" L x 6.9" H x 2.25" D

### FEATURES

- 100-Watt speaker output
- Clear sound frequency
- Compact design
- Silver finish
- Weatherproof housing
- Includes rotating bracket for mounting



## STL ICON BLACK 100-WATT SPEAKER

SKU A-IB100

**DIMENSIONS** 6.4" L x 6.9" H x 2.25" D

### FEATURES

- 100-Watt speaker output
- Clear sound frequency
- Compact design
- Black finish
- Weatherproof housing
- Includes rotating bracket for mounting



## STL 100-WATT CONE SPEAKER

SKU A-C100

**DIMENSIONS** 6.4" L x 4.6" H x 7.4" D

### FEATURES

- 100-Watt speaker output
- Clear sound frequency
- Weatherproof housing
- Includes flat bracket for mounting



## STL VIBE LOW FREQUENCY

SKU S-VLF

**SPEAKER DIMENSIONS** 8" Length x 7" Diameter

**AMPLIFIER DIMENSIONS** 5.25" L x 1.5" H x 6.3" D

### FEATURES

- 100-Watt speaker output
- 100-Watt amplifier output
- Low sound frequency generates tactile vibrations
- Weatherproof housing
- Includes bracket for mounting



## STL RETRACTABLE FOCUS-BEAM

SKU J-RFB80

**DIMENSIONS** 4.4" Extended (4.1" Retracted) Length x 1.15" Lamp (1" Handle) Diameter

**AVAILABLE COLORS**

### FEATURES

- High power LED
- 80 Lumens
- Adjustable Focus
- On/off push button also toggles modes
- Modes: High, Low, Strobe
- Water resistant: IP44
- Shockproof: Up to 3 feet
- Weight: 2.7 ounces
- Includes 1 AA battery



## STL FOCAL-BEAM

SKU J-FB700

**DIMENSIONS** 5" Length x 1.25" Lamp (1" Handle) Diameter

**AVAILABLE COLORS**

### FEATURES

- High power LED
- 700 Lumens
- On/off push button also toggles modes
- Modes: High, Low, Strobe, SOS (hold button for SOS)
- Water resistant: IP44
- Shockproof: Up to 3 feet
- Weight: 4 ounces
- Battery life: High mode -> 2 hours, Low mode -> 7 hours
- Includes rechargeable Li-ion 18650 battery
- Includes micro USB charger with charge status indicator



## STL TRIGGER-BEAM

SKU J-TB220

**DIMENSIONS** 5.7" Length x 1.35" Lamp (1" Handle) Diameter

**AVAILABLE COLORS**

### FEATURES

- High power LED
- 220 Lumens
- On/off push button also toggles modes
- Modes: High, Low, Strobe
- Waterproof: IP68
- Shockproof: Up to 5 feet
- Weight: 4.6 ounces
- Battery life: High mode -> 3 hours, Low mode -> 55 hours
- Includes rechargeable Li-ion 18650 battery
- Includes wall charger & car charger with charge status indicators



## STL ALTER-BEAM

SKU J-AB800

**DIMENSIONS** 8.5" Full (6" Adjusted) Length x 1.5" Lamp (1" Handle) Diameter

**AVAILABLE COLORS**

### FEATURES

- High power LED
- 800 Lumens
- Adjustable: Full 8.5" length or Adjusted 6" length
- On/off push button also toggles modes
- Modes: High, Medium, Low, Strobe, SOS
- Waterproof: IP68
- Shockproof: Up to 5 feet
- Weight: Full length -> 6.5 ounces, Adjusted length -> 5.3 ounces
- Full length battery life: High -> 3 hours, Medium -> 12 hours, Low -> 100 hours
- Adjusted length battery life: High -> 1.5 hours, Medium -> 6 hours, Low -> 50 hours
- Uses 123A batteries: 4 batteries in Full length, 2 batteries in Adjusted length (batteries sold separately)



# STL GRAND CONTROL

SKU C-GCB / C-GCBSTD

DIMENSIONS 2.5" L x 3.1" H x .9" D

## FEATURES

- Compatible with STL products
- Power & flash pattern control
- Take down control
- Auxiliary switch rated for 10 amps
- LED backlit buttons
- Offered in 2 variants:
  - ◊ C-GCB: No modifications (standard model)
  - ◊ C-GCBSTD: Auxiliary switch replaced by Super Take Down



# STL DIRECT CONTROL

SKU C-DCB

DIMENSIONS 4.3" L x 2.5" H x 1.4" D

## FEATURES

- Compatible with STL products
- Power & flash pattern control
- Directional pattern control
- 2-position flash pattern speed control
- Auxiliary switch rated for 10 amps
- LED backlit buttons



# STL GRANDIRECT CONTROL

SKU C-GDCB / C-GDCBSTD

DIMENSIONS 6" L x 2.6" H x 1.4" D

## FEATURES

- Compatible with STL products
- Combination of Grand & Direct Control
- 2 independent power & flash pattern controls
- Directional pattern control
- Take down control
- 2-position flash pattern speed control
- 2 auxiliary switches rated for 10 amps each
- LED backlit buttons
- Offered in 2 variants:
  - ◊ C-GDCB: No modifications (standard model)
  - ◊ C-GDCBSTD: Auxiliary switch (on left side) replaced by Super Take Down



# STL SUPREME CONTROL

SKU C-SPRCB / C-SPRCBSTD

DIMENSIONS 6.5" L x 3.1" H x 1.4" D

## FEATURES

- Compatible with STL products
- 3-stage power control
- Flash pattern control
- Directional pattern control
- Take down, alley, & cruise controls
- Auxiliary switch rated for 10 amps
- LED backlit buttons
- Offered in 2 variants:
  - ◊ C-SPRCB: No modifications (standard model)
  - ◊ C-SPRCBSTD: Auxiliary switch replaced by Super Take Down



# STL CIGARETTE PLUG WITH SWITCHES

SKU C-CLP

DIMENSIONS 1.5" L x 1.1" H x 3.75" D

## FEATURES

- Compatible with STL & 3rd party units
- Rated for 10 amps
- On/off toggle switch for power
- Momentary switch for flash pattern cycle
- Fits all vehicles



# STL 3 SOCKET CIGARETTE PLUG SPLITTER

SKU C-3SCPS

DIMENSIONS 3.5" L x 1.3" H x 3" D

## FEATURES

- Compatible with STL & 3rd party units
- 3 cigarette plug splitter
- 10 amps capacity per plug
- LED on/off indicator



# STL MOTO-4 SWITCH BOX

SKU C-MCB

DIMENSIONS 2.3" L x 2.75" H x 2.3" D

## FEATURES

- Compatible with STL Fury Siren
- 4 switches (+1 master POWER switch to enable 4 switches):
  - ◊ 1 on/off toggle switch for auxiliary warning light or siren tone (A)
  - ◊ 1 manual mode momentary switch for air horn or siren tone (B)
  - ◊ 2 on/off toggle switches for siren tones only (C/D)
- LED backlit buttons
- Weatherproof housing
- Includes handlebar mount & flat mount



# STL WIRELESS REMOTE SWITCH BOX

SKU C-RSB

REMOTE CONTROLLER DIMENSIONS 1.5" L x 3.25" H x .5" D

POWER SUPPLY DIMENSIONS 3.75" L x 1" H x 2.25" D

## FEATURES

- Compatible with STL & 3rd party units
- 6 switches rated for 10 amps each
- Allows for on/off or flash pattern control
- Allows for master power control
- Range of up to 100 feet
- Includes 1 remote key fob controller



# STL HANDHELD SUPREME CONTROL

SKU C-SRPHH / C-SRPHSTD

DIMENSIONS 2.5" L x 4.5" H x .8" D

## FEATURES

- Compatible with STL products
- 3-stage power control
- Flash pattern control
- Directional pattern control
- Take down, alley, & cruise controls
- Auxiliary switch rated for 10 amps
- LED backlit buttons
- Offered in 2 variants:
  - ◊ C-SRPHH: No modifications (standard model)
  - ◊ C-SRPHSTD: Auxiliary switch replaced by Super Take Down





# STL K-FORCE LIGHT BAR COLORED TOP COVERS

OPTIONAL UPGRADE



Customize the color of any K-Force Series Light Bar Top Cover!


Available Colors Include:

- BLACK
- WHITE
- SILVER
- RED
- BLUE
- YELLOW




# STL INTERACTIVE PLAYER

Demo STL products online using our interactive player. Try before you buy!



# STL CUSTOMIZATION TOOL

Customize your lights online to your exact needs using our customize a light bar tool!



# STL COLOR SELECTOR

Visualize your exact color selection & layout while selecting your color attribute!





SHOP WITH CONFIDENCE<sup>®</sup> TRUST IS EARNED<sup>®</sup>



©2021 SPEEDTECH LIGHTS ALL RIGHTS RESERVED